

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/73901 A1

(51) International Patent Classification⁷: G06F 9/44, 9/445

(21) International Application Number: PCT/US00/02605

(22) International Filing Date: 31 January 2000 (31.01.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/323,579 1 June 1999 (01.06.1999) US

(71) Applicant and

(72) Inventor: PORTER, Swain, W. [US/US]; 12511 89th
Court, N.E., Kirkland, WA 98034 (US).

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

— With international search report.

(74) Agents: AUYEUNG, Aloynis, T., C. et al.; Blakely, Sokoloff, Taylor & Zafman, 7th floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025-1026 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: USER CENTRIC PROGRAM PRODUCT DISTRIBUTION



(57) Abstract: A user centric approach to program product distribution, including a complementary multi-vendor code control system (MVCCS) suitable for use to practice the user centric distribution approach is disclosed. Under the user centric approach, versioning control information of the source/object files of various program products to be installed on various user computer systems are maintained on a user computer system by user computer system basis. Each user computer system or its proxy is provided with a portion or an entire MVCCS to facilitate receipt and storage into a common repository for the user computer system versioning control information of different source/object files of different software vendors, and to facilitate retrieval of selective versions of the different source/object files for the user computer system using versioning control information stored in the common repository for the user computer system. In one embodiment, the MVCCS is further equipped to facilitate receipt and storage into a common library, the different source/object files identified by corresponding universally unique identifiers (UUID), and the versioning control information includes predecessor UUID information. In one embodiment, both the common repository and the common library, as well as the entire MVCCS are disposed on the user computer system.

User Centric Program Product Distribution

RELATED APPLICATION

This is a continuation-in-part application of U.S. Patent Application Number 09/177,443, filed on October 21, 1998, entitled "User Centric Source Control".

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to the field of computer systems. More specifically, the present invention relates to methods and apparatuses associated with the distribution of program products for computer systems.

2. Background Information

Program products are typically distributed in a vendor centric manner as illustrated in Fig. 1. Code control system is employed to provide versioning control to source files associated with program products on the vendors' system or systems. Only the "release" version of a program product source file is converted into object or executable form for distribution to the users, and the conversion process is performed on the vendors' systems. Examples of these vendor centric code control systems include those disclosed in U.S. Patents 4,558,413, 4,912,637, 5,357,631 and 5,495,610.

Under this conventional vendor centric approach to source control and distribution, each program product group or software vendor goes about its development, conversion and distribution with little regard to other program product groups or software vendors, except perhaps performing certain amount of

system level testing with a small group of selected program products. As a result, it is not unusual for a user, upon installing a number of program products, to find that the program products are incompatible and may not operate together, or upon applying a fix to one program product, other previously functioning program products or the entire system would fail. Once finding himself/herself in such a predicament, there are few choices available to the user, and furthermore, there are limited tools available for the user to deal with the problems. Often times, the remedial action requires distribution of an entire replacement version, as opposed to merely the "broken" or "offending" parts.

Additionally, the prior art vendor centric approach to source control is also restrictive in fostering program product interoperability. For example, a vendor of a program product requiring minor extension support from another program product of a different vendor would nevertheless require support and close cooperation from the other vendor. As a further example, users of the same program product are often frustrated in their cooperation by virtue of the fact that they operate with different version levels of the vendor's program product.

These problems or disadvantages are especially undesirable in view of the opportunities to offer the ever increasing population of potential users (which are typically novice), an ever increasing array of functionally rich consumer program products for installation and use on their ever more powerful personal computer systems. Thus, an improved approach to software distribution, including a complementary code control system, is desired.

SUMMARY OF THE INVENTION

A user centric approach to program product distribution, including a complementary multi-vendor code control system (MVCCS) suitable for use on a user computer system or its proxy to practice the user centric distribution approach is disclosed. Under the user centric approach, versioning control information of various program products to be installed on various user computer systems are maintained on a user computer system by user computer system basis. Each user computer system and/or its proxy is provided with a portion or the entire MVCCS to facilitate receipt and storage into a common repository for the user computer system versioning control information of different source/object files of different software vendors, and to facilitate retrieval of selective versions of the different source/object files for the user computer system using versioning control information stored in the common repository for the user computer system.

In one embodiment, the MVCCS is further equipped to facilitate receipt and storage into a common library, the different source/object files. In one embodiment, the different source/object files are identified by corresponding universally unique identifiers (UUID), and the versioning control information includes predecessor UUID information. In one embodiment, the common repository is disposed on the user computer system. In one embodiment, the common library is also disposed on the user computer system.

BRIEF DESCRIPTION OF DRAWINGS

The present invention will be described by way of exemplary embodiments, but not limitations, illustrated in the accompanying drawings in which like references denote similar elements, and in which:

Figure 1 illustrates the prior art vendor centric approach to program product distribution and source control;

Figure 2 illustrates an overview of the user centric approach of the present invention in accordance with one embodiment;

Figure 3 illustrates one embodiment of a vendor development/code control environment suitable for practicing the present invention;

Figure 4 illustrates one embodiment of a data structure suitable for use to maintain the predecessor UUID and related information of **Fig. 3**;

Figures 5-6 illustrate one embodiment each of various operational flows for the vendor development/code control environment of **Fig. 3**;

Figure 7 illustrates one embodiment of the MVCCS of **Fig. 2**;

Figure 8 illustrates one embodiment of the operational flow of the check-in module of **Fig. 7**;

Figures 9-11 illustrate one embodiment of a time based approach to facilitate a user in controlling program product regeneration for the user's system, including a scheduler, its user interface and operational flow; and

Figure 12 illustrates one embodiment of an exemplary computer system suitable for use to practice the present invention.

DETAILED DESCRIPTION OF THE INVENTION

In the following description, various aspects of the present invention will be described. However, it will be apparent to those skilled in the art that the present invention may be practiced with only some or all aspects of the present invention. For purposes of explanation, specific numbers, materials and configurations are set forth in order to provide a thorough understanding of the present invention. However, it will also be apparent to one skilled in the art that the present invention may be practiced without the specific details. In other instances, well known features are omitted or simplified in order not to obscure the present invention.

Parts of the description will be presented in terms of operations performed by a computer system, using terms such as tables, files, data and the like, consistent with the manner commonly employed by those skilled in the art to convey the substance of their work to others skilled in the art. As well understood by those skilled in the art, these quantities take the form of electrical, magnetic, or optical signals capable of being stored, transferred, combined, and otherwise manipulated through mechanical and electrical components of a digital system; and the term digital system include general purpose as well as special purpose data processing machines, systems, and the like, that are standalone, adjunct or embedded.

Various operations will be described as multiple discrete steps performed in turn in a manner that is most helpful in understanding the present invention, however, the order of description should not be construed as to imply that these operations are necessarily order dependent, in particular, the order the steps are presented.

Referring now to **Figure 2**, wherein an overview of the present invention in accordance with one embodiment is shown. As illustrated, in accordance with the teachings of the present invention, unlike the prior art, an user centric approach is employed for program product distribution. More specifically, each user system **202** is associated with a multi-vendor code control system (MVCCS) **200** that provides versioning control for source and object files of program products of vendors **204a-204f** to be installed or installed on user system **202**. MVCCS **200** includes, in particular, versioning control information, on a user system by user system basis, for the source and object files of the program products of vendors **204a-204f**. For the illustrated embodiment, user system **202**

is provided with its own MVCCS 200, which maintains the versioning control information for user system 202 only. Other alternate embodiments are also possible, so long as the user system by user system correspondence principle is maintained for versioning control information, to be described more fully below. Before doing so, it should be noted that the number of vendors shown in Fig. 2 are straightly illustrative. The present invention may be practiced with program products of more or less vendors. Furthermore, the term "program products" is intended to represent a broad category of software systems, subsystems as well as application products, and the term "source files" is intended to include source files written in a broad category of programming languages, including but not limited to C, C++, HTML, XML, Java™ and JavaScript, as well as natural languages, such as English, Spanish and so forth (i.e. text files).

Referring now to Figure 3, wherein one embodiment of a vendor development/code control environment suitable for use to practice the present invention is shown. As illustrated, vendor development/code control environment 300 provides versioning control for the source and object files of one or more program products of the particular vendor on a delta basis. That is, each version of a source file is formed by combining the root or base source file with a number of subsequent changes or deltas. Each version of an object file is generated from a corresponding combination of base and delta source files. For the illustrated embodiment, development/code control environment 300 includes library 302, repository 304, check-in and check out functions 306-308, editor and compiler/linker 310-312, delta generator 314 and distributor 316. The elements are operatively coupled to each other as shown.

Library 302 is used to store source files 318 of a program product in either a base or a delta form (depending on whether the source file is the root or a

subsequent change), as well as object files **319** of the program product. Each base/delta source file **318** is advantageously identified by an universally unique identifier (UUID), that uniquely identifies the base/delta source file not only among the base/delta source files of the program product, but among the source files of all program products of all vendors. The UUID also uniquely identifies the corresponding object file generated from source files inclusive of the particular delta source file. Repository **304** is used to store versioning control information **320** of source and object files **318** and **319**. Versioning control information **320** includes in particular predecessor UUID information for each UUID. For the illustrated embodiment, versioning control information **320** also includes cross program product dependency information for the UUIDs, locking information to prevent a corresponding base/delta source file from being further updated, and security/privilege information to prevent unauthorized updates. In alternate embodiments, other control information may also be included in addition to or in lieu of (in part or in whole) the above enumerated control information.

Check-in and check-out functions **306-308** perform their conventional functions of checking in the base/delta source files or selectively checking out different versions of the source and object files, except that check-in and check-out functions **306-308** operate with source and object files that are advantageously identified by the above described UUIDs. Editor **310** performs its conventional function of editing the checked out source files, and compiler/linker **312** performs its conventional function of compiling/linking the checked out/edited compilable source files. Similarly, delta generator **314** performs the conventional function of creating delta source files based on the check-out and modified versions of a source file. Last but not least, distributor **316** performs the conventional function of distributing program products to users, except distributor **316** operates to distribute versioning control information **320**, and in some

embodiments, base/delta source files **318** and/or object files **319** to MVSCS of the user systems, in accordance with the teachings of the present invention. For the purpose of this application, the term distribution includes packaging of the program products onto distribution medium, such as tapes, diskettes, CDROM, and so forth, for distribution, as well as transferring of the program products to the user systems or their proxies (such as a corporate or publisher server) through a wireless or wired medium, such as a public data network (e.g. the Internet).

Figure 4 illustrates an exemplary data structure suitable for use to store the versioning control information in repository **304** to practice the present invention. As illustrated, table **400** includes a number of version control entries **402**, one for each UUID. Each version control entry **402** includes the corresponding UUID **404**, its predecessor UUID **406**, and any dependency for the UUID **408**. The dependency information may be intra product dependencies as well as dependencies on other program products. In other embodiments, each version control entry **402** may also include other control information, such as the above described locking and security/privilege control information. In other embodiments, one or more other organized data structures, such as metafiles, individually or in combination, may be employed to store versioning control information **320** instead.

Figures 5-6 illustrate one embodiment each of various operational flows of vendor development/code control environment of **Figure 3**. More specifically, **Fig. 5** illustrates an exemplary embodiment of the operational flow of check-in function **306**, whereas **Fig. 6** illustrates an exemplary embodiment of the operational flow of distributor **316**. Other operational flows not described are known in the art. As illustrated, in response to the receipt of a base/delta source file, step **502**, check-in function **306** generates and assigns an UUID to identify the

base/delta source file, step **504**. As described earlier, the UUID uniquely identifies the base/delta source file not only among other source files of the program product, but all other source files of all other program products, regardless whether they are of the same vendor or not. As alluded to earlier, the object file generated from source files inclusive of the delta source file is also identified by the same UUID. In one embodiment, check-in function **306** employs an approach similar to the approach commonly employed in the art of networking for identifying packets, that is, generating the UUID as a function of date, time and the network address of the computer system executing check-in function **306**. In one embodiment, check-in function **306** supports the checking in of a delta file as either an update or a patch to the source file. In the "update" case, a new "version" of the source file is considered to have been formed if the delta file is included, whereas in the "patch" case, the "version" state of the source file is considered to be unchanged, even if the delta file is included.

Upon generating and assigning the UUID to the base/delta source file, check-in function **306** generates the genealogy for the UUID, i.e. its predecessor ID, and if applicable, dependency and other control information, step **506**. The predecessor UUID is determined based on the UUID of the check-out version of the source file, from which the delta source file is generated. For a base source file with no check-out version of the source file, check-in function **306** generates a "null" predecessor UUID. The dependency and other control information are determined based on information stored in associated control files generated by compiler/linker **312**. Next, check-in function **306** stores the base/delta source file in library **302**, and the predecessor UUID, dependency and other control information (if any) in repository **304**, step **508**.

At step **602**, distributor **316** retrieves the versioning control information of a program product, and distributes them for storage for a user system. As will be described in more details below, the versioning control information are distributed for storage in a common repository of the user system employed to store versioning control information for multiple program products of multiple vendors installed on the user system. In one embodiment, the common repository is operated by a MVCCS serving only the user system. In one embodiment, the common repository is operated by a MVCCS that operates and maintains multiple common repositories for multiple user systems, on a user system by user system basis.

For the illustrated embodiment, distributor **316** also retrieves and distributes other associated control information, step **604**. In one embodiment, distributor **316** retrieves and distributes intra as well as cross program product dependency control information. In one embodiment, distributor **316** also distributes locking information that locks down certain base/delta source files to prevent them from further update/modification. In one embodiment, distributor **316** also distributes security/privilege information to prevent unauthorized update/modification to the corresponding base/delta source file.

For the illustrated embodiment, distributor **316** also retrieves the base/delta source files **318** from library **302**, and distributes them for storage for the user system, step **606**. As will be described in more detail below, in one embodiment, the base/delta source files are also distributed on a user system by user system basis. In other embodiments, the base/delta source files are distributed to server systems (also referred to as proxies of the user systems), each serving a group of user systems, such as a corporate server or a publisher

server. In alternate embodiments, object files **319** may also be retrieved and distributed.

While for ease of understanding, the various types of versioning control information distributed by distributor **316** were incrementally described as separate discrete steps, it should be noted that their distribution may be combined in any one of a number of application dependent manners. For example, all the "secondary" versioning control information, i.e. dependency, locking etc., may be combined and distributed together.

Referring now to **Figure 7** wherein one embodiment of the MVCCS of **Fig. 2** is shown. As illustrated, MVCCS **700** includes common library **702**, common repository **704**, check-in and check out functions **706-708**, and compiler/linker **710**. The elements are operatively coupled to each other as shown. Similar to the library and the repository earlier described for a vendor's development/code control environment, common library **702** and repository **704** are employed to store base/delta source files **718**, object files **719** and corresponding versioning control information **720** of program products, except in accordance with the present invention, they are employed to store base/delta source files **718**, object files **719** and corresponding versioning control information **720** of program products of multiple vendors. This is advantageously made possible by the program product vendors employment of UUIDs to identify the source and object files of their program products.

Check-in function **706** performs its conventional function of checking base/delta source files **718** and versioning control information **720** into common library **702** and repository **704** as they are received from the vendor. For the purpose of this application, the term "receive" include "receiving" applicable ones

of the base/delta source files **718**, object files **719** and versioning control information **720** from a distribution medium as well as from a server of a vendor. Check-out function **708** performs its conventional function of selectively retrieving different versions of source files **718** from common library **702**, using versioning control information **720** stored in common repository **704**, whereas compiler/linker **710** performs its conventional function of compiling/linking the retrieved compilable source files into object code or executables. [Note that if object files are also distributed, the processing of source files is typically optional.]

In one embodiment, all illustrated elements, i.e. common library **702**, common repository **704**, check-in and check-out functions **706-708** and compiler/linker **710** are all disposed on the user system where the program products are installed or being installed. In an alternate embodiment, all illustrated elements, except common library **702** are disposed on the user system. Library **702** is either disposed on a "corporate/publisher" server serving multiple user systems, or on the vendor's server, and check-out function **708** retrieves source files **718** or object files **719** from the "corporate/publisher" or vendor server through a private/public network on an as needed basis, using versioning control information **720** stored in common repository **704**. Accordingly, check-in function **706** receives only versioning control information **720** from the vendor, and as described earlier, stores them in common repository **704**. Generation of the object code/executables, if applicable, are still performed on the user system where the program products are installed or being installed.

In yet another embodiment, only check-out function **708** and compiler/linker **710** are disposed on the user system where the program products are installed. Common repository **720** and check-in function **706** are disposed on a "corporate/publisher" server serving multiple user systems. In other words, the

"corporate/publisher" server maintains multiple common repositories, one for each user system, on a one-to-one correspondence basis. Upon receipt of versioning control information **720** of a program product, check-in function **706** stores them into the corresponding common repositories of the user systems where the program product is installed or to be installed. As in the immediately above described embodiment, library **702** is either disposed on the same/another "corporate/publisher" server serving multiple user systems or on the vendor's server. Check-out function **708** retrieves source files **718** or object files **719** from the "corporate/publisher" or vendor server through a private/public network on an as needed basis, using versioning control information **720** stored in the corresponding common repository **704** disposed on the "corporate/publisher" server. Generation of the object code/executables, if applicable, are still performed on the user system where the program products are installed.

In yet another embodiment, none of the illustrated elements are disposed on the user system where the program products are installed. Common repository **720**, check-in and check-out functions **706-708**, and compiler/linker **710** are disposed on a "corporate/publisher" server serving multiple user systems. As in the immediately above described embodiment, the "corporate/publisher" server maintains multiple common repositories **720**, one for each user system, on a one-to-one correspondence basis. Upon receipt of versioning control information **720** of a program product, check-in function **706** stores them into the corresponding common repositories **720** of the user systems where the program product is installed or to be installed. Also similar to the immediately above described embodiment, library **702** is either disposed on the same/another "corporate/publisher" server serving multiple user systems or on the vendor's server. Check-out function **708** retrieves source files **718** or object files **719** from the "corporate/publisher" or vendor server through a private/public on an as

needed basis, using versioning control information **720** stored in the corresponding common repository **704** disposed on the "corporate" server. For this embodiment, generation of the object code/executables, if applicable, are performed on the "corporate/publisher" server, and then "downloaded" to the user system.

To summarize, in each of these embodiments, a common repository **704** is maintained for each user system to store versioning control information **720** of the program products installed or to be installed on the user system. The common repository **704** may be disposed on the user system, or on a "corporate/publisher" server, provided the one-to-one correspondence is maintained. Common library **702** may be complementarily disposed on the user system, the same/another "corporate/publisher" server or the vendor's server, depending on where common repository **704** is disposed. Likewise, check-in and check-out functions **706-708** and compiler/linker **710** are also complementarily disposed, depending on whether common library **702** and common repository **704** are disposed. Note that while in accordance to the teachings of the present invention, one-to-one correspondence to the user system is always maintained for common repository **704**, such one-to-one correspondence to the user system is merely preferred but not mandated for common library **702**.

Figure 8 illustrates one embodiment of the operational flow of the check-in function of **Fig. 7** for receiving and storing versioning control information. As shown, at step **802**, check-in function **706** awaits versioning control information of the program products of the vendors. At step **804**, in response to the receipt of the versioning control information for one or more base/delta source files or object files of a program product from a vendor, check-in function **706** stores the received versioning control into the common repository **704** for the user system.

Check-in function **706** stores the received information to the same common repository **704** without regard to the vendor. Recall as described earlier, common repository **704** may or may not be disposed on the user system. Check-in function **706** repeats steps **802-804** as many times as it is necessary until versioning control information are stored into common repository **704** for the user system for all source/object files of all program products, regardless of vendors, to be installed or installed on the user system.

In an embodiment, where check-in function **706** also receives source and/or object files of the program products, check-in function **706** handles the receipt and storing of the source and/or object files in like manner as described above for the versioning control information of these source and object files.

The novel user centric approach to program product distribution provides numerous advantages over the prior art vendor centric approach to a user of an user system endowed with the present invention. As an example, **Figures 9 - 11** illustrate a time based approach to controlling regeneration of program products installed on the user's system offerable to the user as a result of the present invention. Illustrated in **Fig. 9** is scheduler **900** that can selectively invoke the above described check-out function and compiler/linker of the MVCCS of the present invention to regenerate the program products installed on the user system relative to a time reference, in response to a user's input for the time reference. **Fig. 10** illustrates an exemplary user interface of scheduler **900**, and **Fig. 11** illustrates one embodiment of the operational flow of scheduler **900**.

As illustrated in **Fig. 10**, exemplary user interface **1000** from which the user may select a date, based on which the installed program products of the user system will be regenerated, includes various pop up panels **1002** related to

managing program products installation/uninstallation and regeneration for the user system relative to a time reference. Pop up panels **1002** includes in particular regeneration panel **1003** having calendar **1004**. Calendar **1004** includes month pop up **1006** and year pop up **1008** to facilitate the user in denoting a date, against which the program product regeneration is to be performed. Additionally, regeneration panel **1003** includes "generate" button **1010** to cause the regeneration process to be started. In alternate embodiments, finer granularity may be employed to specified the time reference against which the regeneration is to be performed. Other control buttons as well as selection features may also be included.

As illustrated in **Fig. 11**, at step **1102**, in response to a user input, e.g. a user's selection of a program product management icon, the above described exemplary user interface is presented to the user. At step **1104**, scheduler **900** awaits for the user's inputs. Upon receipt of a user's input, scheduler **900** determines if the user has selected the "generate" button, step **1106**. If the determination is negative, implying that the user has selected other selection features, scheduler **900** handles the user selection accordingly, in an application dependent manner, step **1108**. For example, in response to the selection of the down arrow button associated with the month pop up, the month list is displayed. However, if it is determined that the user has selected the "generate" button, scheduler **900** selectively invokes the above described check-out function and if applicable, the compiler/linker of the MVCCS of the present invention to cause the "latest" version of the program products, defined in accordance with the reference date selected by the user, to be regenerated, using the versioning control information stored in the common repository maintained for the user system, step **1112**. The regeneration is either through direct retrieval of the applicable object files (i.e. without step **1110**) or indirectly, through retrieval of

the applicable source files, step 1110, and recompiling the source files to regenerate the needed object files, step 1112. Step 1112 and optionally 1110 are repeated as many times as it is necessary until object code/executables for all program products previously installed on the user system have been regenerated.

Those skilled in the art will appreciate that the above described time based approach to facilitate a user in controlling program product regeneration for his/her system is especially helpful to the user in dealing with system regression caused by the installation of one or more new program products. Through the above described exemplary user interface, the user can easily select an earlier date where the user knows his/her system was operating without the recently encountered problems, and with the click of a control button, the user's system is automatically restored back to a prior known properly operating state, without requiring the user to resolve various intra and/or inter program product dependency problems. Similarly, from one known good operating state, the user can also easily select a later date, and with the click of a control button, the user's system is automatically forwarded to a new state to determine whether the system can operate reliably for the user, again without requiring the user to resolve various intra and/or inter program product dependency problems. In general, the user may cause as many "undos" and/or "redos" to be performed in any order and as often as it is desired. Note that the "undos" and/or "redos" may be performed for other non-reliability related reasons, such as compatibility,

Furthermore, in lieu of or in addition to the above described time based approach to controlling program product regeneration, the present invention may also be practiced in conjunction with an usage characteristic based approach to software customization, as disclosed in copending U.S. patent application, number 09/176,692, filed October 21, 1998, and entitled "Usage

Characteristic Based Software Customization", which is hereby fully incorporated by reference (except for the reciprocating incorporation). For those embodiments where source files are also provided to the user systems or their proxies, the present invention may also be practiced with some or all of the vendors employing security mechanisms to protect their source files. The security mechanisms may be any one of these techniques known in the art, such as a private/public key approach.

While the present invention has thus far been substantially described in the context of empowering user systems with the ability to managing source files from multiple program product vendors, those skilled in the art will appreciate that the benefits of the present invention are not restricted to only this dimension of relationship between a user system and its vendor. Under the present invention, a vendor of a program product may easily provide to its user systems simple extensions it needs in another program product of a different vendor without requiring close cooperation or support from the other vendor. Similarly, users of a program product of a more recent version level may temporarily enable other peer users of the program product of an earlier version level to facilitate data or file sharing between the users. Thus, it is anticipated that the present invention will also benefit inter-vendor as well as inter-user cooperation, leading to an overall improved interoperability experience for the users.

Lastly, we refer now to **Figure 12**, wherein one embodiment of an exemplary computer system suitable for use to practice the present invention, in particular as a user system, is illustrated. As shown, exemplary computer system **1200** includes processor **1202** and system memory **1204** coupled to each other via system bus **1206**. Coupled also system bus **1206** are non-volatile storage **1208**, various user input/output devices **1210** and communication interface **1220**.

Each of these elements perform its conventional functions known in the art. In particular, system memory **1204** and non-volatile storage **1208** are employed to store a working copy and a permanent copy of the programming instructions implementing the teachings of the present invention. The permanent copy of the programming instructions may be loaded into non-volatile storage **1208** in the factory, or in the field, through distribution medium **1222** or through communication interface **1220**. As described earlier, any one of a number of recordable medium such as tapes and so forth may be employed. The constitution of these elements **1202-1220** are also well known, and accordingly will not be further described.

Thus, a novel user centric approach to program product distribution, including a complementary multi-vendor code control system, has been described. While the present invention has been described in terms of the above illustrated embodiments, those skilled in the art will recognize that the invention is not limited to the embodiments described. The present invention can be practiced with modification and alteration within the spirit and scope of the appended claims. The description is thus to be regarded as illustrative instead of restrictive on the present invention.

CLAIMS

What is claimed is:

1. A computer implemented method comprising:
generating versioning control information for a plurality of source/object files of a program product; and
distributing the versioning control information for storage for a plurality of user computer systems, with the storage being performed on a user computer system by user computer system basis.
2. The method of claim 1, wherein each of the source files are in either a base or a delta form, and the method further comprises generating and assigning an universally unique identifier (UUID) to identify each of the base/delta source files.
3. The method of claim 1, wherein said generating of versioning control information for the plurality of source/object files comprises generating predecessor UUID information.
4. The method of claim 1, wherein said distributing of versioning control information for storage for a plurality of user computer systems, comprises distributing the versioning control information for storage in a plurality of repositories, one repository for each user computer system, each repository storing versioning control information of a plurality of program product vendors for the corresponding user computer system.
5. The method of claim 1, wherein the method further comprises distributing source/object files for storage in a plurality of corresponding libraries, one library

for each user computer system, each library storing source/object files for a plurality of program product vendors for the corresponding user computer system.

6. The method of claim 1, wherein said distributing of versioning control information further comprises distributing selected ones of

(a) dependency information, including cross program product dependency information,

(b) locking information for selected ones of the source files to prevent the selected ones from being updated, and

(c) privilege or security information for the source files.

7. The method of claim 1, wherein said source files are written in a selected one of a text mark up language and a natural language.

8. An apparatus comprising:

a storage medium;

a processor;

a code control/distribution system stored in said storage medium to be operated by the processor to generate versioning control information for a plurality of source/object files of a program product, and to distribute the versioning control information for storage for a plurality of user computer systems, with the storage being performed on a user computer system by user computer system basis.

9. The apparatus of claim 8, wherein each of the source files are in either a base or a delta form, and the code control/distribution system generates and assigns an universally unique identifier (UUID) to identify each of the base/delta source files.

10. The apparatus of claim 9, wherein said code control/distribution system further generates predecessor UUID information for each of the base/delta source files.
11. The apparatus of claim 8, wherein said code control/distribution system distributes the versioning control information for storage in a plurality of repositories, one repository for each user computer system, each repository storing versioning control information of a plurality of program product vendors for the corresponding user computer system.
12. The apparatus of claim 8, wherein the code control/distribution system further distributes the source/object files for storage in a plurality of corresponding libraries, one library for each user computer system, each library storing source/object files for a plurality of program product vendors for the corresponding user computer system.
13. The apparatus of claim 8, wherein said code control/distribution system further distributes selected ones of
- (a) dependency information, including cross program product dependency information,
 - (b) locking information for selected ones of the source files to prevent the selected ones from being updated, and
 - (c) privilege or security information for the source files.
14. The apparatus of claim 8, wherein said source files are written in a selected one of a text mark up language and a natural language.
15. An article of manufacture comprising:

a recordable medium having recorded thereon a plurality programming instructions for use to program an apparatus to enable the apparatus to be able to generate versioning control information for a plurality of source/object files of a program product, and to be able to distribute the versioning control information for storage for a plurality of user computer systems, with the storage being performed on a user computer system by user computer system basis.

16. The article of manufacture of claim 15, wherein each of the source files are in either a base or a delta form, and the programming instructions enable the apparatus to be able to generate and assign an universally unique identifier (UUID) to identify each of the base/delta source files.

17. The article of manufacture of claim 16, wherein said programming instructions enable the apparatus to be able to generate predecessor UUID information for each of the base/delta source files.

18. The article of manufacture of claim 15, wherein the programming instructions enable the apparatus to be able to distribute the versioning control information for storage in a plurality of repositories, one repository for each user computer system, each repository storing versioning control information of source/object files of a plurality of program product vendors for the corresponding user computer system.

19. The article of manufacture of claim 15, wherein said programming instructions enable the apparatus to be able to distribute the source/object files for storage in a plurality of corresponding libraries, one library for each user computer system, each library storing source/object files for a plurality of program product vendors for the corresponding user computer system.

20. The article of manufacture of claim 15, wherein said programming instructions further enable the apparatus to be able to distribute selected ones of

- (a) dependency information, including cross program product dependency information,

- (b) locking information for selected ones of the source files to prevent the selected ones from being updated, and

- (c) privilege or security information for the source files.

21. A computer implemented method comprising:

- facilitating receipt and storage into a common repository for a user computer system versioning control information of a first and a second plurality of source/object files of a first and a second software vendor; and

- facilitating retrieval of selective versions of the first and second plurality of source/object files for the user computer system using the versioning control information stored in the common repository for the user computer system.

22. The method of claim 21, wherein

- each of the first and second plurality of source files is either a base or a delta source file, identified with an universally unique identifier (UUID), and

- said facilitating of receipt and storage into a common repository for the user computer system versioning control information of the first and second plurality of source files, comprises facilitating receipt and storage into the common repository for the user computer system predecessor UUID information for the corresponding UUID of the first and second plurality of base/delta source files.

23. The method of claim 21, wherein said facilitating of receipt and storage into a common repository for the user computer system versioning control information

of the first and second plurality of source/object files, comprises facilitating receipt and storage into a common repository disposed on the user computer system said versioning control information.

24. The method of claim 21, wherein said method further comprises of facilitating receipt and storage of the first and second plurality of source/object files of the first and second software vendors, each being identified with an universally unique identifier (UUID).

25. The method of claim 24, wherein said facilitating of receipt and storage of the first and second plurality of source/object files identified by UUID comprises facilitating receipt and storage into a common library for the user computer system the first and second plurality of source/object files identified by UUID.

26. The method of claim 25, wherein said common library is disposed on the user computer system.

27. The method of claim 21, wherein
said first and second plurality of source/object files are source/object files of a first and a second software program product of the first and the second software vendor, and

said facilitating of retrieval of selective versions of the first and second plurality of source/object files is performed to facilitate selective generation of the first and/or the second software program product for the user computer system.

28. The method of claim 27, wherein said facilitating of retrieval of selective versions of the first and second plurality of source/object files is performed to facilitate selective generation of the first and/or the second software program

product for the user computer system, in response to a request expressed in a timeline context by a user of the user computer system.

29. The method of claim 27, wherein said facilitating of retrieval of selective versions of the first and second plurality of source/object files is performed to facilitate selective generation of the first and/or the second software program product for the user computer system to maintain software compatibility for the user computer system.

30. The method of claim 29, wherein said facilitating of receipt and storage into a common repository for the user computer system versioning control information of the first and second plurality of source/object files further comprises facilitating receipt and storage into the common repository for the user computer system selected ones of

- (a) dependency information, including cross software product dependency information, for the different versions of the first and second software program products,

- (b) locking information for selected ones of the first and second plurality of source files to prevent the selected ones from being updated, and

- (c) privilege or security information for the first and second plurality of source files.

31. A user computer system comprising:

- a processor;

- a storage medium;

- a multi-vendor code control system (MVCCS) stored into the storage medium for operation by the processor to facilitate receipt and storage into a common repository for the user computer system, versioning control information of

a first and a second plurality of source/object files of a first and a second software vendor, and to facilitate retrieval of selective versions of the first and second plurality of source/object files for the user computer system, using the versioning control information stored in the common repository for the user computer system.

32. The user computer system of claim 31, wherein
each of the first and second plurality of source files is either a base or a delta source file, identified with an universally unique identifier (UUID), and
said MVCCS facilitates receipt and storage into the common repository for the user computer system predecessor UUID information for the corresponding UUID of the first and second plurality of base/delta source files.
33. The user computer system of claim 31, wherein said user computer system further includes said common repository for the user computer system.
34. The user computer system of claim 31, wherein said MVCCS further facilitates receipt and storage of the first and second plurality of source/object files of the first and second software vendors, each being identified with an universally unique identifier (UUID).
35. The user computer system of claim 34, wherein said MVCCS further facilitates receipt and storage of the first and second plurality of base/delta source files identified by UUID into a common library for the user computer system.
36. The user computer system of claim 35, wherein said user computer system further includes said common library.
37. The user computer system of claim 31, wherein

said first and second plurality of source/object files are source files of a first and a second software program product of the first and the second software vendor, and

said MVCCS performs said facilitating of retrieval of selective versions of the first and second plurality of source/object files to facilitate selective generation of the first and/or the second software program product for the user computer system.

38. The user computer system of claim 37, wherein said user computer system further comprises input/output devices to facilitate a user of the user computer system to submit a request in a timeline context to cause said MVCCS to facilitate said retrieval of selective versions of the first and second plurality of source/object files to facilitate selective generation of the first and/or the second software program product for the user computer system.

39. The user computer system of claim 37, wherein said MVCCS facilitates said retrieval of selective versions of the first and second plurality of source/object files to facilitate selective generation of the first and/or the second software program product for the user computer system to maintain software compatibility for the user computer system.

40. The user computer system of claim 37, wherein said MVSCS further facilitates receipt and storage into the common repository for the user computer system selected ones of

(a) dependency information, including cross software product dependency information, for the different versions of the first and second software program products,

(b) locking information for selected ones of the first and second plurality of source files to prevent the selected ones from being updated, and

(c) privilege or security information for the first and second plurality of source files.

41. An article of manufacture comprising:

a recordable medium having recorded thereon a plurality of programming instructions for use to program an apparatus to enable the apparatus to be able to facilitate receiving and storing into a common repository for the user computer system versioning control information of a first and a second plurality of source/object files of a first and a second software vendor, and to be able to facilitate retrieval of selective versions of the first and second plurality of source/object files for the user computer system using the versioning control information stored in the common repository for the user computer system.

42. The article of manufacture of claim 41, wherein each of the first and second plurality of source files is either a base or a delta source file, identified with an universally unique identifier (UUID), and said programming instructions enable the apparatus to be able to facilitate receipt and storage into the common repository for the user computer system predecessor UUID information for the corresponding UUID of the first and second plurality of base/delta source files.

43. The article of manufacture of claim 41, wherein said programming instructions further enable the apparatus to be able to facilitate receipt and storage into a common source library for the user computer system, the first and second plurality of source/object files of the first and second software vendors, each being identified with an universally unique identifier (UUID).

44. The article of manufacture of claim 41, wherein said first and second plurality of source/object files are source/object files of a first and a second software program product of the first and the second software vendor, and said facilitating of retrieval of selective versions of the first and second plurality of source/object files is performed to facilitate selective generation of the first and/or the second software program product for the user computer system.

45. The article of manufacture of claim 44, wherein said programming instructions enable the apparatus to be able to facilitate retrieval of selective versions of the first and second plurality of source/object files for selective generation of the first and/or the second software program product for the user computer system, in response to a request expressed in a timeline context by a user of the user computer system.

46. The article of manufacture of claim 44, wherein said programming instructions enable the apparatus to facilitate retrieval of selective versions of the first and second plurality of source/object files for selective generation of the first and/or the second software program product for the user computer system to maintain software compatibility for the user computer system.


47. The article of manufacture of claim 41, wherein said programming instructions further enable the apparatus to facilitate receipt and storage into the common repository for the user computer system selected ones of

(a) dependency information, including cross software product dependency information, for the different versions of the first and second software program products,

(b) locking information for selected ones of the first and second plurality of source files to prevent the selected ones from being updated, and

(c) privilege or security information for the first and second plurality of source files.

1 / 10

*FIG. 1 (PRIOR ART)*

2 / 10




FIG. 2

3 / 10




FIG. 3

400 ↗


UUID	PREDESIGN UUID	DEPENDENT UUID (ANY PRODUCT/ANY VENDOR)

402 ↗


404 } 406 } 408 }

FIG. 4

5 / 10

*FIG. 5*

6 / 10

*FIG. 6*

7 / 10




FIG. 7

8 / 10




FIG. 8






FIG. 9

9 / 10






FIG. 12

INTERNATIONAL SEARCH REPORT

Int. Application No.

PCT/US 00/02605

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F9/44 G06F9/445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, INSPEC, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X A	US 5 909 581 A (PARK SEONG-KAB) 1 June 1999 (1999-06-01) abstract column 1, line 1 -column 2, line 20 claims 1-24 — -/-	1,4,5,8, 11,12, 15,18, 19,21, 31,41 2,3,6,7, 9,10,13, 14,16, 17,20, 22-30, 32-40, 42-47

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

18 August 2000

Date of mailing of the international search report

24/08/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Beltrán-Escavy, J

INTERNATIONAL SEARCH REPORT

Int. Application No.

PCT/US 00/02605

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 845 077 A (FAWCETT PHILIP E) 1 December 1998 (1998-12-01) abstract column 1, line 1 -column 3, line 47	1,8,15, 21,31,41
A	US 5 809 287 A (SHAFFER DAVID SCOTT ET AL) 15 September 1998 (1998-09-15) abstract column 1, line 1 -column 2, line 60	1,8,15, 21,31,41
A	WO 98 27487 A (DSC TELECOM LP) 25 June 1998 (1998-06-25) abstract page 1, line 1 -page 4, line 10	1,8,15, 21,31,41
A	GB 2 325 766 A (SAMSUNG ELECTRONICS CO LTD) 2 December 1998 (1998-12-02) abstract page 1, line 1 -page 6, line 20	1,8,15, 21,31,41

INTERNATIONAL SEARCH REPORT

Information on patent family members

trans. application No

PCT/US 00/02605

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5909581 A	01-06-1999	NONE	
US 5845077 A	01-12-1998	US 6073214 A	06-06-2000
US 5809287 A	15-09-1998	US 5586304 A	17-12-1996
		US 5588143 A	24-12-1996
		US 5960189 A	28-09-1999
		AU 695638 B	20-08-1998
		AU 3053895 A	21-03-1996
		CA 2157728 A,C	09-03-1996
		EP 0703531 A	27-03-1996
		JP 8227355 A	03-09-1996
WO 9827487 A	25-06-1998	AU 5106298 A	15-07-1998
GB 2325766 A	02-12-1998	CN 1201190 A	09-12-1998
		JP 2938005 B	23-08-1999
		JP 11015717 A	22-01-1999

THIS PAGE BLANK (USP10